



THE **POWER** YOU FEEL

Braille Lithium Batteries are all designed and manufactured in the United States of America. Braille is a globally recognised market leader in providing the best starting solutions for all aspects of the Motorsport and Tuning markets for over 20-years.

The company name, Braille, reflects the concept that the advantages of weight reduction in racing are sometimes only felt, not seen. As an industry leader, we believe our strength lies in our cranking amps. We offer more performance at your fingertips than any other battery supplier in the market. Introducing the 'New' XCEL-Lite range, offers a wide range of capacities and options, with solutions for all Motorsport and Tuning starter requirements.

Braille Battery have a very proud history, with championship wins in F1, Nascar, IndyCar, Le Mans, DTM, World Rallycross and WRC to name a few. We also pride ourselves in being the preferred battery supplier to high profile race car manufacturers globally.



LONG LASTING

Lasts 3-5x longer than traditional lead acid batteries



LIGHTWEIGHT

Offers significant weight savings over traditional lead acid batteries



QUICK START

Superior starting capabilities with high cranking amps



OUTSTANDING PEDIGREE

Over a decade of use in street and race vehicles



GREAT FOR STORAGE

They self-discharge less than 1% per month



RELIABILITY

Engineered for reliability and low failure rate



PERFORMANCE

Lithium technology lets you use up to 100% of rated capacity



SMART DESIGN

Made with original Equipment Replacement Manufacture (OEM) sizing for an easy switch to lithium



LANDPORT
BATTERIES

master distributor for Europe

www.landportbv.com



XCEL-LITE
LITHIUM

Price List 2024

Braille Battery XCEL-Lite 12V

Part Number	Voltage	Amp Hour	10s Pulse Discharge Current (A)	Continuous Discharge Current (A)	Dimensions (L/W/H) (MM)	Polarity	Weight (KG)	Terminal Type	DMSB reg.nr	Retail Price Excl. VAT	Stock
XC10.0-500	12V	10	500	200	150/88/145	Left +	1,8	M6 Bolt		€524,99	
XC10.0-500L	12V	10	500	200	150/88/145	Right +	1,8	M6 Bolt	RLB2016-78/24	€524,99	Y
XC12.5-625	12V	12,5	625	250	150/88/145	Left +	2,2	M6 Bolt		€629,99	
XC12.5-625L	12V	12,5	625	250	150/88/145	Right +	2,2	M6 Bolt		€629,99	Y
XC12.5-625-1	12V	12,5	625	250	178/76/159	Right +	2,1	M6 Bolt	RLB2016-61/23	€629,99	Y
XC15.0-750	12V	15	750	300	178/76/159	Right +	2,5	M6 Bolt	RLB2016-62/23	€735,99	Y
XC15.0-750-1	12V	15	750	300	174/132/177	Right +	2,9	M6 Bolt	RLB2016-63/23	€735,99	Y
XC15.0-750-2	12V	15	750	300	248/96/154	Right +	3,0	M6 Bolt	RLB2016-64/23	€767,99	Y
XC15.0-825-C	12V	15	825	300	183/93/157	Right +	2,8	M6 Bolt		€1049,99	
XC20.0-1000	12V	20	1000	400	174/132/177	Right +	3,7	M6 Bolt	RLB2016-66/23	€946,99	Y
XC20.0-1000-1	12V	20	1000	400	248/96/154	Right +	3,7	M6 Bolt	RLB2016-67/23	€946,99	Y
XC20.0-1000-2	12V	20	1000	400	248/96/205	Right +	3,8	M6 Bolt	RLB2016-68/23	€989,99	Y
XC20.0-1000-3	12V	20	1000	400	239/173/203	Right +	4,5	M6 Bolt		€999,99	Y
XC22.5-1125	12V	22,5	1125	450	258/80/156	Right +	4,0	3/8" Stud		€1049,99	
XC22.5-1125M6	12V	22,5	1125	450	258/80/156	Right +	4,0	M6 Stud	RLB2016-70/23	€1049,99	Y
XC22.5-1250-C	12V	22,5	1250	450	279/173/195	Right +	4,8	SAE Terminals		€1049,99	Y
XC25.0-1250	12V	25	1250	500	174/132/177	Right +	4,2	M6 Bolt	RLB2016-72/23	€1157,99,-	Y
XC25.0-1375-C	12V	25	1375	500	248/96/205	Right +	4,5	M6 Bolt		€1367,99	
XC50.0-2750-C	12V	50	2750	1000	279/173/195	Right +	9	SAE Terminals	RLB2016-79/24	€1999,99	Y



LANDPORT
BATTERIES

master distributor for Europe

www.landportbv.com



XCEL-LITE
LITHIUM

Price List 2024

Braille Battery XCEL-Lite 16V

Part Number	Voltage	Amp Hour	10s Pulse Discharge Current (A)	Continuous Discharge Current (A)	Dimensions (L/W/H) (MM)	Polarity	Weight (KG)	Terminal Type	DMSB reg.nr	Retail Price Excl. VAT	Stock
XC20.0-2325	16V	20	2325	400	254/83/156	Left +	4	3/8" Stud	RLB2016-69/23	€2299,99	Y
XC10.0-500L	16V	24	900	200	254/83/156	Left +	4	3/8" Stud	RLB2016-71/23	€1349,99	

Braille Battery XCEL-Lite 12V Harley Series

Part Number	Voltage	Amp Hour	10s Pulse Discharge Current (A)	Continuous Discharge Current (A)	Dimensions (L/W/H) (MM)	Polarity	Weight (KG)	Terminal Type	DMSB reg.nr	Retail Price Excl. VAT	Stock
XC15.0-H	12V	15	300	150	150/88/145	Right +	2,3	M6 Bolt		€729,99	Y
XC18.0-H	12V	18	360	180	178/76/159	Right +	2,8	M6 Bolt		€749,99	Y
XC30.0-H	12V	30	600	300	174/132/177	Right +	4,2	M6 Bolt		€829,99	Y

Braille Battery Lightweight AGM 12V Series


Part Number	Voltage	Amp Hour	10s Pulse Discharge Current (A)	Continuous Discharge Current (A)	Dimensions (L/W/H) (MM)	Polarity	Weight (KG)	Terminal Type	DMSB reg.nr	Retail Price Excl. VAT	Stock
B3121	12V	31	1380		168/132/173	Right +	9,5	M6 Bolt		€241,49	Y



XC30.0-H



XC10.0-500L



LANDPORT
BATTERIES

master distributor for Europe

www.landportbv.com



XCEL • LITE
LITHIUM

Price List 2024

OptiMate Chargers

Part Number	Description	Retail Price Excl. VAT	Stock
BRP TM270	Optimate charger 12V10A/16V7,5A for lithium battery		Y
BRP TM390	Optimate charger 12V6A for lithium battery		Y



Accessories

Part Number	Description	Retail Price Excl. VAT	Stock
BRB 2012K	Braille brass terminals (M6 pair) 2012K		Y



DMSB Certified

DMSB registered batteries are certified by the German Motorsport Federation, ensuring they meet rigorous safety and performance standards for motorsport applications.

- Safety Compliance:** DMSB regulations guarantee that registered batteries undergo thorough safety testing, minimizing risks associated with high-performance racing.
- Performance Reliability:** Designed to withstand the demanding conditions of motorsport, these batteries provide consistent power output for optimal performance throughout races.
- Regulatory Recognition:** Utilizing DMSB registered batteries ensures compliance with motorsport regulations, enhancing credibility and facilitating participation in sanctioned events.
- Industry Endorsement:** Endorsed by the German Motorsport Federation, these batteries are trusted by professionals for their quality, reliability, and endurance on the track.



LANDPORT
BATTERIES

master distributor for Europe

www.landportbv.com